

PS MANUAL

CARBON PILE BATTERY LOAD TESTERS

1.0 <u>Model</u> BT-673

2.0 <u>Description</u>

6 Volt and 12 Volt Carry Version Battery Load Tester



Durst Industries Australia Pty. Ltd. durst.com.au Phone: +61 2 9660 1755

Unit 1, 11 Packard Avenue Castle Hill NSW 2154 Australia







3.0 <u>Features</u>

- Portable Battery Load Tester.
- Dual sprung moving coil Volt and Amp meter
- Wide Moulded handle for easy carrying
- Large rubber feet to protect unit on rough surfaces
- Control Knob Large and easy to control load
- Cooling vents for maximum air flow
- Fully insulated colour coded safety Clamps
- Powder coated Steel cabinet (Yellow)
- Complies with Australian Standards AS3100
- Designed in Australia
- Custom Modifications available on request

4.0 Physical and Dimensional Properties

- Each unit weighs approximately 3.0 Kg
- Width 180 mm
- Length 170 mm
- Height 200 mm
- Cable Length 900mm
- Cable Size 10mm²
- 50 Amp Clamps

5.0 <u>Performance</u>

- Output Voltage 6 Volt and 12 Volt
- Load Current 0 100 Amps
- Cold Cranking Amps CCA: 200

6.0 <u>Uses</u>

• Suitable for UPS Systems, GPU, Solar Power Systems, large Battery banks or Defence applications.

7.0 <u>Documentation</u>

- Bar Code Number: 934608000839
- Product Specification Manual PS 58
- Work Instruction Manual WI 58
- Product Costing Manual PC 58

